



Inspection Report

William Meadows
Tiger Safari
963 County St 2930
Tuttle, OK 73089

Customer ID: 5978
Certificate: 73-C-0122
Site: 002
WILLIAM MEADOWS

Type: ROUTINE INSPECTION
Date: Jan-11-2016

2.75 (b) (1)

RECORDS: DEALERS AND EXHIBITORS.

- There were 15 ring tail lemurs on the inventory list and only 13 ring tail lemurs in the park at the time of the inspection. Also, there was a 5 week and 2 days old white striped tiger cub born at the park that was not on the inventory.

All animals owned or held by the facility must be recorded on an inventory record. The records shall include any offspring born of any animal while in his or her possession or under his or her control. These records must be kept up to date, and must indicate the disposition of any animal on the list.

Corrected by: 1 February 2016

3.80 (a) (2) (ii)

PRIMARY ENCLOSURES.

The indoor area of the vervet enclosure has power cords from a heat lamp plugged into an electrical outlet on the wall. These live electrical wires and outlets were within reach of the vervet, posing a risk of injury to the animal. The licensee must ensure this area is safe by removing or covering the outlet and power cords.
Corrected the day of the inspection.

3.125 (a) REPEAT

FACILITIES, GENERAL.

- The hyena enclosure has a large hole in the wall of the lockout, with loose wires and sharp points protruding into the enclosure. There were broken boards with exposed sharp points on the ground in the lockout. This is a risk of injury or entrapment to the animal, and also makes the lockout area ineffective.

- The enclosure housing three white tigers has exposed nail heads on the lower resting platform as well as loose boards.

- The camel enclosure has a partially detached fence rail with exposed nails. Inside the front shelter are several broken boards, exposed nail heads, and a piece of jagged wood still attached to the wall.

Prepared By:

DEBBIE CUNNINGHAM, V M O

DEBBIE CUNNINGHAM, V M O USDA, APHIS, Animal Care

Title:

VETERINARY MEDICAL OFFICER Inspector 6072

Date:

Jan-14-2016

Received By:

(b)(6), (b)(7)(c)

Date:

Jan-14-2016

Title:



Inspection Report

The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals. These items were corrected the day of the inspection.

Inspection and exit interview conducted by Debbie Cunningham (VMO), Michael Tygart (VMO), and facility representative.

Prepared By:

DEBBIE CUNNINGHAM, V M O

DEBBIE CUNNINGHAM, V M O USDA, APHIS, Animal Care

Title:

VETERINARY MEDICAL OFFICER Inspector 6072

Date:

Jan-14-2016

Received By:

(b)(6),(b)(7)(c)

Date:

Jan-14-2016

Title: